



## **Add Backup Share to QGrip**

**GRIP ON SOL**

2024-04-16

## Contents

1	Introduction .....	3
2	Checklist .....	3
2.1	Prepare .....	3
2.2	Add Backup Share .....	4
2.3	Check Accessibility Output .....	4
3	Appendix .....	6
3.1	BackupShare: Authorise and Share .....	6
3.1.1	Authorise .....	6
3.1.2	Share .....	8

## 1 Introduction

This document contains a checklist of the steps that are needed when adding a Backup Share to QGrip.

### Errors

Adding a Backup Share will activate the Accessibility checks. If these checks fail, Errors will be issued. These errors need to be solved.

### Assumption


The file share and underlying disk has already been created on the Infra.  
If not, use Appendix: BackupShare: Authorise and Share

## 2 Checklist

- 1. Prepare**
- 2. Add Backup Share**
- 3. Check Accessibility output**


### 2.1 Prepare

#### Firewalls



Firewall between the QGrip Servers and the Backup Share need to be open on port 139 and 445.  
Firewall between the Instance and the Backup Share need to be open on port 139 and 445.

#### Authorisation




The DB Engine account of all Instances and the QGrip System account (gMSA\_QGrip\$) must have read/write authorisation on the backup share and Full rights on the underlying disk.

You can easily find out which accounts need to be authorised in the QGrip-UI:


Admin->Infra->Backup Share->Edit->New

Choose the Domain the Backup Share is on and press 'Show Accounts'




## 2.2 Add Backup Share

In the QGrip-UI, Admin->Infra->Backup Share->Edit->New



## 2.3 Check Accessibility Output




When saving the new Backup Share, the accessibility check will start running for the object. You will receive a personal message for each check. Make sure that none of the Checks failed.

Do not proceed before solving all Accessibility issues. If you have changed parameters, you can rerun the Accessibility check from the Failed tab.


## 3 Appendix

### 3.1 BackupShare: Authorise and Share


#### 3.1.1 Authorise




To authorise account on the underlying directory, right click on the directory and open the properties. In the Security tab, click Edit.




In the Permissions window, click Add.




If the account you want to authorise is a (group) Managed Service Account, click on Object Types.



Check the Service Accounts checkbox and click OK.




When clicking on Check Names, the account should now be found and you can click OK.




Select the account just added and check allow Full Control followed by Apply and OK.

### 3.1.2 Share



Click on the directory and open the properties. In the Sharing tab, click Share.





Verify that the user has Read/Write permission and press Share.